



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

BULLETIN  
— OF THE —  
COOPER ORNITHOLOGICAL CLUB.  
OF CALIFORNIA.


---

A BI-MONTHLY MAGAZINE OF PACIFIC COAST ORNITHOLOGY.

---

Volume One, 1899.

— PUBLISHED BY —



*Copyright 1899.*

---

Santa Clara, California.

- ACCIPITER cooperi, 44, 91.  
velox, 44, 91.
- Adams, E., a day with the raptors, 21; House Finches again, 24; persistent nesting of the Anna's Hummingbird, 28; Western Evening Grosbeak in Santa Clara Co., Cal., 31.
- Æchmophorus occidentalis, 90.
- Ægialitis nivosa, 94.  
vocifera, 91.
- Aeronautes melanoleucus, 43.
- Æstelata scalaris, 99.
- Ætodormas cooperi, 2.
- Agelaius phoeniceus, 95.  
phoeniceus longirostris, 92.
- Alcedo insipida bengalensis, 92.
- Ammodramus beldingi, 73.  
caudacutus becki, 77.  
rostratus guttatus, 92.  
sandwichensis alaudinus, 92.  
sandwichensis bryanti, 87.
- Amphispiza belli cinerea, 93.
- Anas boschas, 90.  
carolinensis, 90.  
penelope, 90.
- Anthony, A. W., a night at sea, 101.
- Anthus pensilvanicus, 93.
- Aphelocoma californica, 42.
- Aquila chrysaetos, 91.
- Ardea herodias, 91.  
virescens, 91.
- Arenaria interpres, 94.
- Asio accipitrinus, 92.
- Astragalinus lawrencei, 42, 45, 92.  
psaltria, 42, 45.
- Atkinson, W. L., notes on Audubon's Warbler and the individuality of eggs, 29; capture of a rabbit by a Golden Eagle, 50; Band-tailed Pigeon nesting in Santa Clara Co., Cal., 57; nesting of the California Cuckoo, 95.
- Atthis morcomi, 99.
- Auklet, Cassin's, 85, 102.  
Rhinoceros, 17.
- Auriparus flaviceps, 93.
- Aythya affinis, 90.  
collaris, 90.
- BARLOW, C., William S. Cobleigh, 12; prominent Californian ornithologists, W. Otto Emerson, 20; early Hummingbirds' nesting, 24; is the unlimited collecting of birds in breeding season justified? 47. another chapter on the nesting of *Dendroica occidentalis* and other Sierra notes, 59; prominent Californian ornithologists, Rollo H. Beck, 77; the nesting of the Black-throated Gray Warbler, 96.
- Beck, R. H., nesting of the Santa Cruz Jay, 6; additional notes on the birds of Santa Cruz Island, 85; notes on the Black Swift in Monterey Co., Cal., 94.
- Beck, Rollo H., a sketch of, 77.
- Belding, L., nesting of *Hylocichla aonala-schkae auduboni* in the Sierra Nevada, 21; *Hylocichla ustulata oedica* in the Sierra Nevada, 29; notice of his 'Water Birds of the Pacific District,' 57, 99.
- Bittern, American, 94.
- Blackbird, Brewer's, 92.  
Sonoran Redwinged, 92.
- Bluebird, Mountain, 29, 31, 52, 93.  
Western, 52, 93.
- Bobolink, 73, 93.
- Botaurus lentiginosus, 94.
- Bowles, J. H., decoy nests of the Western Winter Wren, 72.
- Branta bernicla, 90.
- Brant, 90.
- Breninger, G. F., the passing of Alfonse Forrer, 66; Bobolink at Monterey and White-throated Sparrow at Santa Cruz, Cal., 93.
- Bubo virginianus saturatus, 79.  
virginianus subarcticus, 92.
- Buffle-head, 90.
- Bunting, Lazuli, 7, 45.
- Bush-Tit, 43.  
California, 45.
- Buteo abbreviatus, 91.  
borealis calurus, 44, 67, 91.
- CALLIPEPLA gambeli, 91.
- Calypte anna, 24, 42, 67.  
costae, 67.
- Caracara, Audubon's, 91.
- Cardinalis, 16.
- Carpodacus mexicanus clementis, 44.  
mexicanus frontalis, 6, 41, 68, 92.  
purpureus californicus, 68.
- Carriger, H. W., unusual lining of a Red-bellied Hawk's nest and Sonoma county notes, 51; elevated nest of the Lutescent Warbler, 72; the Yellow Rail and Saw-whet Owl in Sonoma county, Cal., 72; notes on the nesting of the Slender-billed Nuthatch, 83; breeding of the Dusky Horned Lark in eastern Washington, 86.
- Cathartes aura, 67, 91.
- Certhia familiaris occidentalis, 68.
- Ceryle alcyon, 92.
- Chætura vauuxii, 44.
- Chamæa fasciata, 79.
- Charitonetta albeola, 90.
- Chat, Long-tailed, 8, 95.
- Chickadee, Chestnut-backed, 84.  
Oregon, 84.
- Chondestes grammacus strigatus, 68, 92.
- Chordeiles virginianus henryi, 28.
- Chrysomitris forreri, 66.
- Chrysotis forreri, 66.
- Circus hudsonius, 94.
- Cistothorus palustris paludicola, 93.
- Cobleigh, Wm. S., obituary notice of, 12.
- Coccothraustes vespertinus montanus, 31, 54, 95.
- Cohen, D. A., California Clapper Rail in Alameda, Co. Cal., 31; nesting and other habits

- of the Oregon Towhee, 61; Macgillivray's Warbler in Alameda county, Cal., 82; notes from Alameda, Cal., 95; a northern record for the Black-chinned Sparrow, 107.
- Colaptes cafer*, 44, 67, 92.
- Columba fasciata*, 67.
- Columbigallina passerina pallescens*, 91.
- Condor, California, 19, 25, 73.
- Contopus borealis*, 80.
- richardsonii*, 67.
- Cooper, a sketch of James G., 1.
- Cooper Ornithological Club of California, list of members of the, 120.
- Coot, American, 91.
- Cormorant, Baird's, 85.
- Brandt's, 90.
- Farallone, 85, 102.
- Corvus americanus*, 68.
- corax sinuatus*, 45, 68, 92.
- Cowbird, Dwarf, 92.
- Crow, Ringed, 46.
- Crane, Sandhill, 91.
- Creepers, California, 53.
- Crossbill, American, 30, 54.
- Cuckoo, California, 95.
- Curlew, Long-billed, 45, 91.
- Cyanocitta stelleri*, 79.
- stelleri frontalis*, 67.
- Cyanospiza amœna*, 45, 68.
- Cypseloides niger*, 77.
- DAGGETT, F. S., a record for Los Angeles county, Cal., 51; importance of accuracy in lists, 115; Gray-crowned Leucosticte on Mt. Whitney, Cal., 119.
- Dendrocygna fulva*, 9.
- Dendroica æstiva*, 68.
- auduboni*, 31, 45, 93.
- coronata*, 31, 54.
- coronata hooveri*, 32.
- occidentalis*, 59.
- Dolichonyx oryzivorus*, 73.
- Dove, Mexican Ground, 73, 91.
- Mourning, 91.
- Dryobates scalaris bairdi*, 92.
- Duck, Fulvous Tree, 9, 10, 51.
- Ruddy, 10.
- Lesser Scaup, 90.
- Ring-necked, 90.
- EAGLE, Bald, 42.
- Golden, 22, 50, 79, 91.
- Editorial, 14, 34, 56, 74, 98, 118.
- Emerson, W. O., Dr. James G. Cooper, 1; coming of the Mockingbird, 27; fall notes from Haywards, Cal., 28; American Crossbills in Alameda county, Cal., 30; albino Dwarf Hermit Thrush and Western Robin, 30; winter observations on Anna's Hummingbird, 71.
- Emerson, W. Otto, a sketch of, 20.
- Empidonax insulicola*, 42.
- Breunetes occidentalis*, 91.
- FALCO cooperi, 2.
- perigrinus anatum*, 44, 91.
- sparverius deserticolus*, 44, 67, 91.
- Finch, House, 6, 24, 29, 41, 81, 92.
- California Purple, 7.
- Flicker, Red-shafted, 44, 92.
- Flycatcher, Ash-throated, 7.
- Buff-breasted, 105.
- Hammond's, 7.
- Olivaceous, 104.
- Olive-sided, 7.
- Sulphur-bellied, 103, 112.
- Vermilion, 7, 92.
- Western, 7, 42, 82.
- Forrer, Alphonse, obituary notice of, 66.
- Fulica americana*, 91.
- GAYLORD, H. A., spring migration in the San Gabriel valley, 7.
- Geococcyx californianus*, 92.
- Geothlypis trichas occidentalis*, 93.
- Gnatcatcher, Plumbeous, 93.
- Godwit, Marbled, 91.
- Goldfinch, Arkansas, 42.
- Lawrence's, 42, 92.
- Goose, White-cheeked, 81.
- Grebe, American Eared, 19.
- Pied-billed, 90.
- Western, 90.
- Grinnell, J., the Rhinoceros Auklet at Catalina island, 17.
- Grosbeak, Black-headed, 7, 45, 79.
- Western Blue, 8, 44.
- Western Evening, 31, 54, 77.
- Guillemot, 90.
- Guiraca cærulea lazula*, 44.
- Gull, Heermann's 101.
- Ivory, 54.
- Ring-billed, 90.
- Western, 41, 90, 101.
- Grus mexicana*, 91.
- HABIA melanocephala, 45.
- Haliaeetus leucocephalus*, 42.
- Hawfinch, Masked, 46.
- Hawk, Cooper's, 44, 91.
- Desert Sparrow, 44, 91.
- Duck, 44, 45.
- Marsh, 94.
- Red-bellied, 51.
- Sharp-shinned, 7, 44, 91.
- Zone-tailed, 91.
- Heleodytes brunneicapillus*, 93.
- Helminthophila celata sordida*, 18, 42.
- rubricapilla gutturalis*, 60.
- Heron, Black-crowned Night, 9, 91.
- Great Blue, 91, 101.
- Green, 91.
- Hirundo erythrogaster*, 45.
- Holmes, F. H., the Old-Squaw and Fulvous Tree Duck at Alviso, Cal., 51.
- Hoover, T. J., the gopher snake as a despoiler of quails' nests, 75.
- Howard, O. W., summer resident warblers of Arizona, 37, 63; some of the summer flycatchers of Arizona, 103.

- Hummingbird, Anna's, 28, 42, 71.  
 Allen's, 18, 42, 71.  
 Black-chinned, 7, 92.  
 Costa's, 7.  
 Rufous, 7.
- Hylocichla aonalaschkæ*, 45, 54.  
*aonalaschkæ auduboni*, 21.  
*ustulata œdica*, 29.
- IBIS, White-faced Glossy, 9.
- Icterus bullocki*, 45.  
*cutellatus nelsoni*, 68.
- JAY, Santa Cruz, 6, 42, 43, 79, 86.
- Jewett, F. B., nesting observations on the Black Phoebe, 13.
- Johnson, A. W., an account of the taking of four sets of eggs of the Ivory Gull, 54.
- Johnson, H. C., nesting of Wilson's Snipe in Utah, 26; a successful day with the Duck Hawks, 45; ravens nesting on a railroad bridge, 71.
- Junco caniceps*, 81.  
*hyemalis*, 52, 73, 81, 95.  
*hyemalis oregonus*, 45, 79, 80, 81, 93.  
*hyemalis pincosus*, 81.  
*hyemalis thurberi*, 68, 80, 81.
- Junco*, Oregon, 45, 93.  
 Slate-colored, 52, 81.  
 Thurber's, 7, 8.
- KAEDING, H. B., the genus *Junco* in California, 79.
- Killdeer, 91.
- Kingbird, Arkansas, 7, 45.  
 Cassin's, 7.
- Kingfisher, Belted, 7, 8, 46, 92.
- Kinglet, Ruby-crowned, 7, 52, 54, 93.  
 Western Golden-crowned, 28, 52.
- Kite, Black, 46.
- Kobbe, W. H., observations on the nesting of *Parus rufescens* in Washington, 84.
- LANIUS ludovicianus anthonyi*, 42, 79.  
*ludovicianus excubitorides*, 93.
- Lark, Horned, 85.  
 Desert Horned, 92.  
 Dusky Horned, 85.  
 Island Horned, 41.
- Larus delawarensis*, 90.  
*eburneus*, 54.  
*occidentalis*, 50.
- Leland, H. J., nesting of the Western Flycatcher in San Gabriel Canon, 82.
- Leucosticte, Gray-crowned, 119.
- Limosa fedoa*, 91.
- Linton, C. B., observations on the American Raven in Southern California, 68.
- Littlejohn, C., three records for San Mateo Co., Cal., 73.
- Loon, Pacific, 19.
- Lophortyx californica vallicola*, 67.
- Loxia curvirostra minor*, 51, 54.
- Lusk, R. D., nesting of the Sulphur-bellied Flycatcher, 112.
- MAGPIE, 46.  
 Black-billed, 29.  
 Yellow-billed, 29.
- Mailliard, J., spring notes on the birds of Santa Cruz island, California, April, 1898, 41; notes from Marin and San Benito counties, Cal., 53.
- Mallard, 90.
- Martin, Western, 81.
- McCormick, A. I., breeding habits of the Least Tern in Los Angeles Co., Cal., 49.
- McGregor, R. C., a new race of the Brown Towhee, 11; protective coloration, 16; the Myrtle Warbler in California and description of a new race, 31; description of a new California song sparrow, 35; Eastern Junco and White-throated Sparrow in California, 52; some summer birds of Palamar Mts. from the notes of J. Maurice Hatch, 67; "circumstances alter cases," 69; notes on California song sparrows, 87; a plea for the general use of scientific names, 114.
- McLain, R. B., notice of his 'Contributions to North American Herpetology,' 56; a protest, 99.
- Meadowlark, Western, 45, 92.
- Megascops asio bendirei*, 92.  
*asio trichopsis*, 92.
- Melanerpes formicivorus bairdi*, 67.  
*torquatus*, 29, 53.  
*uropygialis*, 92.
- Melospiza fasciata fallax*, 93.  
*fasciata graminea*, 44, 86.  
*fasciata ingersolli*, 35.  
*fasciata montana*, 28.  
*lincolni*, 45.  
*melodia clementæ*, 88.  
*melodia cleonensis*, 87.  
*melodia gouldii*, 87.  
*melodia ingersolli*, 88.  
*melodia pusillula*, 87.  
*melodia samuelis*, 87.
- Milvus ater*, 46.
- Mimus polyglottos*, 27, 42, 93.
- Mockingbird, 17, 27, 42, 93.
- Molothrus ater obscurus*, 92.
- Myiarchus cinerascens*, 67.
- Murrelet, Xantus, 102.
- NELSON, E. W., notice of his 'Natural History of the Tres Marias Islands, Mexico,' 115.
- Nighthawk, Texan, 7.  
 Western, 28.
- Northern Division, official minutes of, 15, 58, 76, 100, 119.
- Numenius longirostris*, 91.
- Nuthatch, Red-breasted, 28, 52, 53.  
 Slender-billed, 52, 83.
- Nycticorax nycticorax nævius*, 91.
- OIDEA deglandi*, 90.
- Old-Squaw, 51.
- Oreortyx pictus*, 79.  
*pictus plumiferus*, 67, 80.
- Oriole, Arizona Hooded, 7.  
 Bullock's, 7, 29, 45.
- Oroscoptes montanus*, 93.
- Osgood, W. H., notice of his '*Chamæa fasciata* and its Subspecies,' 74.

- Otocoris alpestris arenicola*, 92.  
*alpestris chrysolaema*, 67.  
*alpestris insularis*, 41.  
*alpestris merrilli*, 86.  
 Ouzel, Water, 23.  
 Owl, Burrowing, 92.  
     Mexican Screech, 92.  
     Saw-Whet, 72.  
     Short-eared, 92.  
     Western Horned, 21, 22, 36, 92.  
 Oystercatcher, Black, 85.  
 PARTRIDGE, California, 61.  
     Gambel's, 91.  
     Plumed, 60.  
     Valley, 73.  
*Parus atricapillus occidentalis*, 84.  
     gambeli, 68.  
     inornatus, 68.  
     rufescens, 84.  
*Passer montanus*, 46.  
*Passerella iliaca megarhyncha*, 80.  
     *iliaca unalaschcensis*, 28.  
*Pelecanus erythrorhynchos*, 90.  
 Pelican, American White, 90.  
     Brown, 101.  
 Petrel, Black, 102.  
     Leache's, 73.  
*Petrochelidon lunifrons*, 68.  
 Pewee, Western Wood, 8.  
*Phainopepla nitens*, 68, 93.  
*Phainopepla*, 8.  
*Phalacrocorax penicillatus*, 90.  
*Phalaenoptilus nuttalli nitidus*, 92.  
 Phoebe, Black, 13, 45, 92.  
     Say's, 7, 92.  
*Pica caudata*, 46.  
 Pigeon, Band-tailed, 7, 57.  
*Piranga ludoviciana*, 68.  
*Pipilo aberti*, 93.  
     *fuscus carolæ*, 11.  
     *fuscus crissalis*, 11, 61.  
     *maculatus megalonyx*, 47, 68, 86.  
     *maculatus oregonus*, 42, 61.  
 Pipit, American, 7, 53, 93, 95.  
*Podilymbus podiceps*, 90.  
*Polioptila plumbea*, 93.  
*Polyborus cheriway*, 91.  
*Poocætes gramineus affinis*, 30.  
     *gramineus confinis*, 92.  
 Poor-will, 92.  
*Porzana coturniculus*, 99.  
 Price, W. W., some winter birds of the lower  
     Colorado Valley, 89.  
*Psaltirparus minimus californicus*, 45.  
*Pseudogryphus californianus*, 67.  
 Publications received, 36, 58, 76, 100.  
*Pyrocephalus rubineus mexicanus*, 92.  
*Pyrrhuloxia*, 16.  
 RAIL, California Clapper, 31.  
     Yellow, 72.  
 Raven, American, 45, 68, 71, 92.  
     White-necked, 92.  
 Ray, M. S., winter birds of Shanghai, 46; pe-  
     culiar eggs of California Shrike and  
     other notes, 53.  
 Redhead, 9, 10.  
 Redington, A. P., the condor in Santa Barbara  
     county, 19; taking of a condor's egg, 75.  
 Redtail, Western, 21, 22, 44, 91.  
 Redstart, Painted, 65.  
*Regulus calendula*, 54, 93.  
     *satrapa olivaceus*, 28.  
 Rising, H. G., capture of a California Condor,  
     25.  
 Roadrunner, 92.  
 Robertson, H., nesting of Belding's Sparrow,  
     73; nesting notes from Los Angeles,  
     Cal., 94.  
 Robin, Western, 7, 30, 52.  
 Rothschild, L. W. and E. Hartert, notice of  
     their 'A Review of the Ornithology of the  
     Galapagos Islands,' 116.  
 SALPINCTES obsoletus, 4, 93.  
 Sandpiper, Baird's, 91.  
     Western, 91.  
 Sapsucker, Redbreasted, 7, 28, 54.  
     Red-naped, 7.  
*Sayornis nigricans*, 45, 92.  
     saya, 92.  
*Scolecophagus cyanocephalus*, 68, 92.  
 Scoter, White-winged, 90.  
*Selasphorus alleni*, 42.  
 Shearwater, Black-vented, 102.  
 Shields, A. M., nesting of the Fulvous Tree  
     Duck, 9.  
 Shoveller, 90.  
 Shrike, California, 29.  
     Island, 42.  
     White-rumped, 93.  
*Sialia arctica*, 29, 52, 93.  
     *mexicana occidentalis*, 68, 93.  
*Sitta canadensis*, 53, 28, 95.  
     *carolinensis aculeata*, 68.  
 Slevin, T. E., early bird arrivals for 1899, 29;  
     Violet-green Swallow in Marin county;  
     two unrecorded captures, 73.  
 Snipe, Wilson's, 26.  
 Southern Division, official minutes of, 15, 36,  
     58, 76, 100, 119.  
 Sparrow, Belding's, 73.  
     Black-chinned, 7, 8, 107.  
     Brewer's, 93.  
     Desert Song, 93.  
     English, 53.  
     Fox, 17.  
     Golden-crowned, 7, 8, 45.  
     Gray Sage, 93.  
     Intermediate, 6, 8, 41, 89, 92.  
     Lincoln's, 7, 8, 45.  
     Mendocino Song, 87.  
     Mountain Song, 28.  
     Oregon Vesper, 30.  
     Rufous-crowned, 77.  
     Santa Barbara Song, 44.  
     St. Lucas, 92.  
     Tehama Song, 35.

- Thick-billed, 54.  
 Townsend's, 28.  
 Tree, 46.  
 Western Chipping, 42, 43, 93.  
 Western Lark, 92.  
 Western Savanna, 92.  
 Western Vesper, 92.  
 White-throated, 52, 93.  
*Spatula clypeata*, 90.  
*Speotyto cunicularia hypogæa*, 92.  
*Spizus lawrencei*, 42, 45, 92.  
     *psaltria*, 42, 45.  
     *psaltria arizonæ*, 73.  
*Spizella atrigularis*, 107.  
     *breweri*, 93, 94.  
     *socialis arizonæ*, 42, 68, 93.  
*Sphyrapicus ruber*, 28, 54.  
 Stephens, F., lassoing a California Vulture, 88.  
*Sterna fosteri*, 90.  
*Sturnella magna neglecta*, 45, 68, 92.  
 Swallow, Barn, 45.  
     Cliff, 7.  
     Tree, 52.  
     Violet-green, 7, 8, 29, 73.  
 Swarth, H. S., two albinos from Los Angeles, Cal., 6; Black Oystercatcher on Anacapa Islands, 85; notes from Los Angeles, Cal., 94.  
 Swift, Black, 94.  
     Vaux, 44.  
     White-throated, 43.  
*Symphemia semipalmata inornata*, 91.  
*TACHYCINETA thalassina*, 29, 68.  
 Tanager, Louisiana, 8.  
 Taylor, H. R., the individuality of eggs, 99.  
 Teal, Green-winged, 90.  
 Tern, Least, 49.  
     Royal, 102.  
 Thrasher, California, 95.  
     Le Conte's 36.  
     Sage, 93.  
 Thrush, Audubon's Hermit, 94.  
     Dwarf Hermit, 8, 30, 45, 52, 54.  
     Russet-backed, 7, 52, 96.  
     Varied, 52.  
*Thryomanes bewickii spilurus*, 42, 43.  
*Thryothorus bewickii leucogaster*, 93.  
 Titmouse, Plain, 53.  
 Towhee, Abert's, 89, 93.  
     California Brown, 61, 81.  
     Green-tailed, 7, 8.  
     Northern Brown, 11.  
     Oregon, 42, 61.  
*Tringa bairdi*, 91.  
*Trochilus alexandri*, 92.  
     *violajugulum*, 99.  
*Troglodytes ædon aztecus*, 68.  
     *hiemalis pacificus*, 72.  
 Turnstone, Common, 94.  
*Turdus aonalaschkæ*, 81.  
     *chinensis*, 46.  
     *sequoiensis*, 21.  
*Tyrannus verticalis*, 45.  
 URIA, 90.  
 VERDIN, 93.  
*Vireo flavoviridis forreri*, 66.  
     *gilvus*, 68.  
     *huttoni*, 44.  
*Vireo*, Cassin's, 7, 8.  
     Warbling, 7.  
*Vulture*, California, 88.  
     Turkey, 22, 91.  
 WARBLER, Audubon's, 8, 17, 29, 39, 45, 64, 81, 93.  
     Black-throated Gray, 7, 8, 64, 96.  
     Calaveras, 7, 8, 60.  
     Dusky, 17, 42, 43, 86.  
     Grace's, 39.  
     Hermit, 8, 48, 59, 77.  
     Hoover's, 32.  
     Lucy's, 37.  
     Lutescent, 7, 8, 72.  
     Macgillivray's, 7, 81, 82.  
     Myrtle, 31, 54.  
     Olive, 37.  
     Pileolated, 7, 96.  
     Red-faced, 65.  
     Sonora Yellow, 39.  
     Townsend's, 8.  
     Virginia's, 63.  
     Yellow, 7, 81.  
 Waxwing, Cedar, 7.  
 Welch, J. M., the Phainopepla in Calaveras county, 8; notes on Lewis' Woodpecker, 29; echoes from an outing, 108.  
 Widgeon, 90.  
 Willard, J. M., nesting of the Water Ouzel, 23;  
     Oregon Vesper Sparrow in Alameda county, 30.  
 Willet, Western, 91.  
 Woodpecker, Baird's, 92.  
     California, 7.  
     Gila, 92.  
     Lewis', 7, 29, 53.  
     Pileated, 48.  
 Wren, Baird's, 93.  
     Cactus, 93.  
     Dotted Canon, 77.  
     Parkman's, 53.  
     Rock, 41, 93.  
     Tule, 53, 93.  
     Vigor's, 17, 42, 43, 53.  
     Western Winter, 53, 72, 95.  
 YELLOWTHROAT, Western, 7, 93, 96.  
*ZAMELODIA melanocephala*, 68.  
*Zenaidura macroura*, 67, 91.  
*Zonotrichia albicollis*, 52.  
     *coronata*, 45.  
     *leucophrys*, 80, 94.  
     *leucophrys intermedia*, 6, 41, 92, 95.